













**ANKER**  
CASH DRAWERS



# CASH DRAWERS

All drawers at a glance

OVERVIEW	MDX13 <i>Page 4</i>	MDX13E <i>Page 6</i>	MDX16 <i>Page 8</i>	MDX18 <i>Page 10</i>	MDX39 <i>Page 14</i>	MDX32 <i>Page 12</i>
						
DIMENSIONS (WDXH) IN MM (CA.)	330 x 360 x 89	330 x 360 x 89	417 x 417 x 100	440 x 460 x 120	390 x 370 x 100	330 x 420 x 130
WEIGHT IN KG CA.	4,4	4,4	6,3	8,5	8,7	10,4
MATERIAL	All-steel construction					
COLOUR	RAL 7021 ●	RAL 7021 ● RAL 9016 ○	RAL 7021 ●			
NUMBER COIN CUPS	5	8	9	8	9	8
NUMBER COMPARTEMENTS	4	5	4	5	4	6 + 2 universal
WEIGHABLE COIN CUPS	No					Yes
REMOVABLE INSERT	No	Yes (2-piece)	Yes			Yes
ELECTR. VERSION IN VOLTS	24 // optional: 6 or 12				5 - 36	
INTERFACES	RJ11/RJ12				Interface multi 5 - 36 V, to be ordered separately; Plug-in cable for connection to common hardware	
CABLE	Incl. fixed 2 m RJ11/RJ12 cable				2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)	
CLOSURE / TYPE OF CLOSURE	Identical 3-position lock; random locks on demand					
DRAWER RUNNERS	Ball bearing mounted rails					
UNDER-TABLE HOLDER	Optional  RAL 7021 ● 	Optional  RAL 7021 ●  RAL 9016 ○ 	Optional  RAL 7021 ● 	No		
LOCKABLE LID	No		Optional 	No	Optional 	Optional 

OVERVIEW	MDX42 <i>Page 16</i>	MDX43 <i>Page 18</i>	MDS45 <i>Page 20</i>	MDS54 <i>Page 22</i>	UCDM <i>Page 24</i>	UCD <i>Page 26</i>
						
DIMENSIONS (WxDxH) IN MM (CA.)	420 x 420 x 120	420 x 420 x 100	460 x 230 x 130	550 x 200 x 110	391 x 445 x 97	385 x 430 x 95
WEIGHT IN KG CA.	14	13,5	7,8	10	7,5	4,8
MATERIAL	All-steel construction					ABS plastic
COLOUR	RAL 7021 ●					RAL 7021 ● RAL 9002 ●
NUMBER COIN CUPS	8	8	8	8	6/8	
NUMBER COMPARTEMENTS	4/5	5	4 + 1 universal	4 + 1 universal	4/5	4 / 5 + 1 universal
WEIGHABLE COIN CUPS	Yes				Optional	
REMOVABLE INSERT	No	Yes	No		Yes	
ELECTR. VERSION IN VOLTS	5 - 36				24	12, 24, 36
INTERFACES	Interface multi 5 - 36 V, to be ordered separately; Plug-in cable for connection to common hardware				RJ11/RJ12	
CABLE	2 m cable // RJ12 (29101.090-0020) 3 m cable// SDL (29101.091-0020)				Compatible to the pin of the cash register	
CLOSURE / TYPE OF CLOSURE	Identical 3-position lock; random locks on demand				Identical 2-position lock; random locks on demand	
DRAWER RUNNERS	Ball bearing mounted rails					
UNDER-TABLE HOLDER	No					Optional 
LOCKABLE LID	Optional 	Incl. 	Optional 	Optional 	Not necessary; insert is foldable and lockable	

# MDX13

## The compact entry-level model for any cash desk

The ANKER MDX 13 cash drawer is a compact entry-level model for any cash desk. Its solid construction and attractive price make this product the ideal solution for all standard applications at the point of sale.

This ANKER cash drawer is easily managed via the RJ11/ RJ12 interface. The interior of the drawer provides space for 5 coin and 4 note compartments.

Whether in the catering industry or at a supermarket check-out, our cash drawers impress with their durability and robust, timeless design. You benefit from attractive prices without compromising on quality and reliability.

The MDX 13E is the best choice for use with euro coins and notes.



Closed drawer



3 position cylinder lock

### THE MDX13 AT A GLANCE

- All-steel construction
- Ball bearing mounted rails
- Needs little space for a lot of volume
- Solid construction with light weight
- Also available with push opening and closing

→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Via RJ11/RJ12, e.g. receipt printers from Epson, Star, Bixolon etc.  
or compatible POS systems.

→ **CONNECTION CABLE**

Fixed 2 m cable on RJ11/RJ12.

→ **LOCK ON THE CASH DRAWER**

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.




Empty drawer insert



Filled drawer insert

PRODUCT OVERVIEW		MDX13
DIMENSIONS (W X D X H) IN MM CA.		330 x 360 x 89
WEIGHT IN KG CA.		4,4
MATERIAL		All-steel construction
COLOUR		Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS		4 note-, 5 coin compartments
WEIGHABLE COIN CUPS		No
REMOVABLE INSERT		No
ELECTR. VERSION IN VOLTS		24 // optional: 6 or 12
INTERFACES		RJ11/RJ12
CABLE		Incl. fixed 2 m RJ11/RJ12 cable
CLOSURE // TYPE OF CLOSURE		Identical 3-position lock; random locks on demand
DRAWER RUNNERS		Ball bearing mounted rails
UNDER-TABLE HOLDER		Optional      Anthracite RAL 7021 ●



# MDX13E

## Maximum benefit on minimal space

Optimised for use with euro coins and notes, the MDX 13E is a compact entry-level model for any cash desk.

The practical design of the drawer interior with a two-part insert offers space for 8 coin and 5 note compartments. The ANKER entry-level cash drawer is fitted with ball bearing mounted runners. It can be easily managed via the

RJ11/ RJ12 interface and other compatible systems.

Its attractive price makes this product the ideal solution for all standard applications at the point of sale.



Closed drawer



3-position lock

## THE MDX13E AT A GLANCE

- Configured for use with Euro
- Two-part removable insert
- Full metal construction with plastic insert
- Compact entry-level model
- Also available as push variant

➔ MICROSWITCH

A microswitch for status enquiry is integrated.

➔ ELECTRICAL CONNECTION OPTIONS

Via RJ11/RJ12, e.g. receipt printers from Epson, Star, Bixolon etc. or compatible POS systems.

➔ CONNECTION CABLE

Fixed 2 m cable on RJ11/RJ12.

➔ LOCK ON THE CASH DRAWER

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.





Empty drawer insert



Filled drawer insert

PRODUCT OVERVIEW		MDX13E
DIMENSIONS (W X D X H) IN MM CA.		330 x 360 x 89
WEIGHT IN KG CA.		4,4
MATERIAL		All-steel construction
COLOURS		Anthracite RAL 7021 ● // High gloss white RAL 9016 ○
NUMBER OF COMPARTMENTS		5 note-, 8 coin compartments
WEIGHABLE COIN CUPS		No
REMOVABLE INSERT		No
ELECTR. VERSION IN VOLTS		24 // optional: 6 or 12
INTERFACES		RJ11/RJ12
CABLE		Incl. fixed 2 m RJ11/RJ12 cable
CLOSURE // TYPE OF CLOSURE		Identical 3-position lock; random locks on demand
DRAWER RUNNERS		Ball bearing mounted rails
UNDER-TABLE HOLDER		Optional Anthracite RAL 7021 ● // High gloss white RAL 9016 ○



# MDX16

## The smart space-saver

The robust cash drawer for any application. The practically designed interior of the drawer has an insert with 9 coin and 4 note compartments as well as a slot for receipts and coupons. The metal construction, the ball bearing mounted

runners and the 3-position cylinder lock with 2 keys for theft-proof use underline the product's high-quality construction.

The MDX 16 cash drawer is elegant, durable and efficient – the perfect choice for your point of sale!



Closed drawer



3-position lock

## THE MDX16 AT A GLANCE

- All-steel construction
- Ball bearing mounted rails
- Coin insert separately removable
- Slot for receipts & vouchers
- Also available as push variant
- Optional: Lockable lid for insert



➔ MICROSWITCH

A microswitch for status enquiry is integrated.

➔ ELECTRICAL CONNECTION OPTIONS

Via RJ11/RJ12, e.g. receipt printers from Epson, Star, Bixolon etc. or compatible POS systems.

➔ CONNECTION CABLE

Fixed 2 m cable on RJ11/RJ12.

➔ LOCK ON THE CASH DRAWER



Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.



Empty drawer insert



Filled drawer insert

PRODUCT OVERVIEW	MDX16
DIMENSIONS (W X D X H) IN MM CA.	417 x 417 x 100
WEIGHT IN KG CA.	6,3
MATERIAL	All-steel construction
COLOURS	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	4 note-, 9 coin compartments
WEIGHABLE COIN CUPS	No
REMOVABLE INSERT	Yes (coin compartment)
ELECTR. VERSION IN VOLTS	24 // optional: 6 or 12
INTERFACES	RJ11/RJ12
CABLE	Incl. fixed 2 m RJ11/RJ12 cable
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
UNDER-TABLE HOLDER	Optional   Anthracite RAL 7021 ●
	
LOCKABLE LID	Optional
	

# MDX18

## The big and sturdy one

The cost-effective cash drawer with many advantages and a high volume.

The practical cash insert is divided into 8 coin and 5 note compartments. 4 coin compartments can be adjusted and the coin insert can be removed separately. The complete cash insert can be removed en bloc. 2 useful slots for receipts and coupons increase the function volume of the drawer.

The metal construction, the ball bearing mounted runners and the 3-position cylinder lock with 2 keys for theft-proof use underline the product's high-quality construction

The MDX 18 is the big, cost-saving cash drawer for your point of sale!



Closed drawer



3-position lock

## THE MDX18 AT A GLANCE

- All-steel construction
- Ball bearing mounted rails
- Money insert removable enbloc
- Two slots for receipts & vouchers
- Coin compartments adjustable in size
- Also available as push version

➔ MICROSWITCH

A microswitch for status enquiry is integrated.

➔ ELECTRICAL CONNECTION OPTIONS

Via RJ11/RJ12, e.g. receipt printers from Epson, Star, Bixolon etc.  
or compatible POS systems.

➔ CONNECTION CABLE

Fixed 2 m cable on RJ11/RJ12.

➔ LOCK ON THE CASH DRAWER

Identical 3-position lock (emergency opening, electrical opening,  
locked position) incl. 2 locks; random locks on demand.



Empty drawer insert



Filled drawer insert

PRODUCT OVERVIEW	MDX18
DIMENSIONS (W X D X H) IN MM CA.	440 x 460 x 120
WEIGHT IN KG CA.	8,5
MATERIAL	All-steel construction
COLOURS	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	5 note-, 8 coin compartments
WEIGHABLE COIN CUPS	No
REMOVABLE INSERT	Yes ( coin compartments)
ELECTR. VERSION IN VOLTS	24 // optional: 6 or 12
INTERFACES	RJ11/RJ12
CABLE	Incl. fixed 2 m RJ11/RJ12 cable
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails

# MDX32

## The small one with the certain something

This compact drawer is a space saver which makes it the ideal basis for touch screen cash registers, e.g. in book shops, at kiosks or at bakeries. The ideal drawer for small spaces at the POS.

The practical and well-thought-out layout of the insert with upright note compartments and the 2 additional universal compartments, e.g. for rolled coins and receipts, guarantee a smooth workflow. The slot for receipts and coupons allows further flexibility.

The robust all-steel construction as well as the galvanised, ball bearing mounted telescopic runners provide stability and, in addition to the proven locking mechanism, they help to ensure the security of the money.

In addition, the MDX 32 cash drawer comes with a removable cash insert with lockable lid as standard.



Closed drawer



2 separate compartments for receipts and 6 coin rolls

## THE MDX32 AT A GLANCE

- All-steel construction
- Ball bearing mounted rails
- Removable coin insert
- Cash drawer can be mounted on or under the counter
- Slot for receipts & vouchers

→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Compatibel with all systems.

→ **CONNECTION CABLE**

To be ordered separately: 2m, Epson/RJ12 or SDL

→ **LOCK ON THE CASH DRAWER**

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.



Empty drawer insert



Filled drawer insert with optional lockable lid

PRODUCT OVERVIEW	MDX32
DIMENSIONS (W X D X H) IN MM CA.	330 x 420 x 130
WEIGHT IN KG CA.	10,4
MATERIAL	All-steel construction
COLOUR	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	6 note-, 8 coin-, 2 universal compartments
WEIGHABLE COIN CUPS	Yes
REMOVABLE INSERT	Yes (coin compartment)
ELECTR. VERSION IN VOLTS	6 - 38
INTERFACES	Interface multi 6 - 38 V, to be ordered separately: Plug-in cable for connection to common hardware
CABLE	2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
LOCKABLE LID	Optional



# MDX39

## The favourite

The MDX 39 is the preferred model for any cash desk. The high quality of the used materials and the precise construction ensures durable and safe utilisation, even when used intensively. The tried-and-tested locking technology promotes security at the point of sale.

Galvanised ball-bearing telescopic runners and patented locking technology promise smooth and safe use. The removable coin insert and the practical design of the interior

of the drawer guarantee a comfortable and smooth shift change at the cash desk.

Ideal for any application!



Closed drawer



3-position lock

## THE MDX39 AT A GLANCE

- All-steel construction
- Ball bearing mounted rails
- Removable coin insert
- Cash drawer can be mounted on or under the counter
- Slot for receipts & vouchers



→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Compatibel with all systems.

→ **CONNECTION CABLE**

To be ordered separately: 2m, Epson/RJ12 or SDL

→ **LOCK ON THE CASH DRAWER**

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.



Empty drawer insert



Filled drawer insert

PRODUCT OVERVIEW	MDX39
DIMENSIONS (W X D X H) IN MM CA.	390 x 370 x 100
WEIGHT IN KG CA.	8,7
MATERIAL	All-steel construction
COLOUR	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	4 note-, 9 coin compartments
WEIGHABLE COIN CUPS	No
REMOVABLE INSERT	No
ELECTR. VERSION IN VOLTS	6 - 38
INTERFACES	Interface multi 6 - 38 V, separate plug-in cable for connection to common hardware
CABLE	2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
LOCKABLE LID	Optional



# MDX42

## The classic

This cash drawer combines quality and flexibility with longevity. The robust metal housing with a load capacity of up to 20 kg is the ideal component when integrating weighing and cash register systems.

8 weighable coin cups for use with money scales as well as the removable cash insert with lockable lid guarantees maximum user-friendliness.

The robust all-steel construction as well as the galvanised, ball bearing mounted telescopic runners provide stability and, in addition to the proven locking mechanism, help ensuring the security of the money.

The heavy-duty classic model by ANKER.



Closed drawer



Stainless steel  
note binder

## THE MDX42 AT A GLANCE

- All-steel construction
- Ball bearing tracks
- 8 weighable coin cups
- Lockable lid for cash insert
- Cash drawer can be mounted on or under  
mounted on or under the counter



➔ MICROSWITCH

A microswitch for status enquiry is integrated.

➔ ELECTRICAL CONNECTION OPTIONS

Compatibel with all systems.

➔ CONNECTION CABLE

To be ordered separately: 2m, Epson/RJ12 or SDL

➔ LOCK ON THE CASH DRAWER

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.

➔ LOCKABLE LID

Lid with 2-position lock including 2 keys.




Empty drawer insert



Filled drawer insert with optional lockable lid

PRODUCT OVERVIEW		MDX42
DIMENSIONS (W X D X H) IN MM CA.		420 x 420 x 120
WEIGHT IN KG CA.		14
MATERIAL		All-steel construction
COLOUR		Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS		4/5 note-, 8 coin compartments
WEIGHABLE COIN CUPS		Yes
REMOVABLE INSERT		No
ELECTR. VERSION IN VOLTS		6 - 38
INTERFACES		Interface multi 6 - 38 V, separate plug-in cable for connection to common hardware
CABLE		2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)
CLOSURE // TYPE OF CLOSURE		Identical 3-position lock; random locks on demand
DRAWER RUNNERS		Ball bearing mounted rails
LOCKABLE LID		Optional



# MDX43

## The unique one with integrated lid storage

The special feature of this drawer is that the lid for the insert is automatically stored in the cash drawer housing and secured until the end of the shift. At the start of the shift, the insert and lid are placed in the open drawer, the lid is unlocked and the drawer is closed. On closing the drawer, the lid is lifted from the insert and attaches itself to the top of the drawer housing. At the end of the shift, the lid is extended again at the push of a button and locked on the money insert.

An additional compartment for rolls of coins allows safe storage and quick refilling.

The robust all-steel construction as well as the galvanised, ball bearing mounted telescopic runners provide stability and, in addition to the proven locking mechanism, they help ensure the security of the money.



Closed drawer



Integrated stainless steel banknote clip

### THE MDX43 AT A GLANCE

- All-steel construction
- Ball bearing tracks
- 8 weighable coin cups
- Insert lid secured in the drawer housing
- Additional roll money compartment and insertion slot

→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Compatibel with all systems.

→ **CONNECTION CABLE**

To be ordered separately: 2m, Epson/RJ12 or SDL

→ **LOCK ON THE CASH DRAWER**

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.

→ **LOCKABLE LID**

Lid with 2-position lock incl. 2 keys. The lid of the insert is stored and secured in the housing during checkout time.



Empty drawer insert  
with retracted lid



Filled drawer insert

PRODUCT OVERVIEW	MDX43
DIMENSIONS (W X D X H) IN MM CA.	420 x 420 x 100
WEIGHT IN KG CA.	13,5
MATERIAL	All-steel construction
COLOUR	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	5 note-, 8 coin compartments
WEIGHABLE COIN CUPS	Yes
REMOVABLE INSERT	Yes
ELECTR. VERSION IN VOLTS	6 - 38
INTERFACES	Interface multi 6 - 38 V, separate plug-in cable for connection to common hardware
CABLE	2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
LOCKABLE LID	Inclusive



# MDS45

## High capacity with short depth

Due to its low installation depth the MDS 45 is perfectly suited for installation on and under the counter. The MDS 45 is the ideal solution, especially in confined spaces behind the counter.

The drawer pulls out to just 190 mm to provide full access to the cash register insert. This gives staff more room to move behind the often cramped sales counter.

The coin insert with 8 separate coin cups can be removed en bloc. Upright note compartments with pressure plates allow many notes to be stored in each compartment. An universal compartment for receipts and rolls of coins is located below the coin section.

MDS 45 — the first choice for quality-conscious bakeries, food trucks and all applications that require a low pull-out depth.



Closed drawer



Short for small footprints

## THE MDS45 AT A GLANCE

- All-steel construction
- 8 weighable coin cups
- Universal compartment under the coin tray
- Cash drawer can be mounted on or under the counter
- Coin tray can be removed en bloc
- Drawer extends only 190 mm

→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Compatibel with all systems.

→ **CONNECTION CABLE**

To be ordered separately: 2m, Epson/RJ12 or SDL

→ **LOCK ON THE CASH DRAWER**

Identical 3-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.



Empty drawer insert



Filled drawer insert with optional lid

PRODUCT OVERVIEW	MDS45
DIMENSIONS (W X D X H) IN MM CA.	460 x 230 x 130
WEIGHT IN KG CA.	7,8
MATERIAL	All-steel construction
COLOUR	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	4 note-, 8 coin-, 1 universal compartment
WEIGHABLE COIN CUPS	Yes
REMOVABLE INSERT	No
ELECTR. VERSION IN VOLTS	6 - 38
INTERFACES	Interface multi 6 - 38 V, separate plug-in cable for connection to common hardware
CABLE	2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
LOCKABLE LID	Optional



# MDS54

## The individual for small depths with maximum capacity

Due to its low installation depth the MDS 54 is perfectly suited for installation on and under the counter. The drawer is the particularly suitable where space is limited behind the counter.

The wide cash drawer offers space for a generous cash insert with big coin cups to hold even larger amounts of change. The removable cash insert can be configured individually, e.g. to keep banknotes further away from passing customers.

The coin insert with 8 separate coin cups can be removed en bloc. Upright note compartments with pressure plates allow many notes to be stored in each compartment. A universal compartment for receipts and rolls of coins is located below the coin section.

The robust all-steel construction as well as the galvanised, ball bearing mounted telescopic runners provide stability and, in addition to the proven locking mechanism, help ensure the security of the money.



Closed drawer



Double insertion slot for separating documents

### THE MDS54 AT A GLANCE

- All-steel construction
- 8 weighable coin cups
- Drawer extends only 160 mm
- Cash drawer can be mounted on or under the counter
- Insert with lockable lid



→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Compatibel with all systems.

→ **CONNECTION CABLE**

Separate, plugged 2 m cable to RJ11/RJ12 as standard  
(other systems possible on request).

→ **LOCK ON THE CASH DRAWER**

Identical 3-position lock (emergency opening, electrical opening,  
locked position) incl. 2 locks; random locks on demand.



Empty drawer insert



Filled drawer insert with  
optional lid

PRODUCT OVERVIEW	MDS54
DIMENSIONS (W X D X H) IN MM CA.	550 x 200 x 110
WEIGHT IN KG CA.	10
MATERIAL	All-steel construction
COLOUR	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	4 note-, 8 coin-, 1 universal compartment
WEIGHABLE COIN CUPS	Yes
REMOVABLE INSERT	No
ELECTR. VERSION IN VOLTS	6 - 38
INTERFACES	Interface multi 6 - 38 V, separate plug-in cable for connection to common hardware
CABLE	2 m cable // RJ12 (29101.090-0020) 3 m cable // SDL (29101.091-0020)
CLOSURE // TYPE OF CLOSURE	Identical 3-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
LOCKABLE LID	Optional



# UCDM

## Modern, flexible, functional and safe

The robust universal drawer convinces thanks to its numerous installation options. Not only can it be conveniently positioned on the counter, it can also be installed under the counter by mounting a frame. The third option is unique on the market: for the UCDM to make a real statement at the cash desk, it can be partially recessed in the countertop.

The cash insert is easily removed and folded as a closed system for safe transport to the back office. It can be secured with a security lock. Due to its compact size, the folded money tray can easily be stored in the safe.

The variable money insert can be individually adapted. It has 4 note compartments and 8 coin cups as standard. If required, 2 coin cups can be combined to form a 5th note compartment. By adding further separators, the remaining 6 coin cups can be increased to 8.

ANKER offers a different version of the UCDM, where a Flexi Stand can be installed.



Open foldable insert



Foldable inner insert for safe transport to the cash office

## THE UCDM AT A GLANCE

- All-steel construction
- Pluggable coin compartments
- 3 installation options for maximum flexibility  
e.g. in a recessed table
- Cash insert as closed system
- Foldable and lockable insert



→ **MICROSWITCH**

A microswitch for status enquiry is integrated.

→ **ELECTRICAL CONNECTION OPTIONS**

Compatible with all systems.

→ **CONNECTION CABLE**

Suitable for connection to the cash register system, various lengths available.

→ **LOCK ON THE CASH DRAWER**

Identical 2-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.

→ **LOCK ON MONEY INSERT**

Optional plug-in lock for individual locking.



Empty drawer insert with removable coin cups (coin cups optional)



UCDM as Pole solution

PRODUCT OVERVIEW	UCDM
DIMENSIONS (W X D X H) IN MM CA.	391 x 445 x 97
WEIGHT IN KG CA.	7,5
WEIGHT OF THE POLE SOLUTION	10,9
MATERIAL	All-steel construction
COLOUR	Anthracite RAL 7021 ●
NUMBER OF COMPARTMENTS	4/5 note-, 6/8 coin compartments
WEIGHABLE COIN CUPS	Optional
REMOVABLE INSERT	Yes (foldable)
ELECTR. VERSION IN VOLTS	24
INTERFACES	RJ11/RJ12, USB, LAN, others on request
CABLE	Compatible to the pin of the cash register
CLOSURE // TYPE OF CLOSURE	Identical 2-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails

# UCD

## The universal lightweight with plenty of space

The lightweight universal drawer is not only easily installed on the counter, but can also be installed under the counter with two mounting brackets.

The cash insert is easily removed and folded as a closed system for safe transport to the back office. It can be secured with a security lock. Due to its compact size, the folded money tray can easily be stored in the safe.

The variable money insert can be individually adapted. It has 4 note compartments and 8 coin cups as standard. If required, 2 coin cups can be combined to form a 5th note compartment. By adding further separators, the remaining 6 coin cups can be increased to 8.

It offers you unrivalled functionality at the POS, is user-friendly, versatile, and sturdy. Its high-quality plastic housing is also lightweight and robust. The UCD is also absolutely reliable for heavy use.



Open foldable insert



Foldable inner insert for safe transport to the cash office

## THE UCD AT A GLANCE

- Safe transport from drawer insert
- Pluggable coin compartments
- 2 installation variants for maximum flexibility  
e.g. in a recessed table
- Cash insert as closed system
- Slot for receipts and vouchers

➔ MICROSWITCH

A microswitch for status enquiry is integrated.

➔ ELECTRICAL CONNECTION OPTIONS

Compatibel with all systems.

➔ CONNECTION CABLE

Suitable for connection to the cash register system, various lengths available.

➔ LOCK ON THE CASH DRAWER

Identical 2-position lock (emergency opening, electrical opening, locked position) incl. 2 locks; random locks on demand.

➔ LOCK ON MONEY INSERT

Optional plug-in lock for individual locking.




Empty drawer insert



Filled drawer insert

PRODUCT OVERVIEW	UCD
DIMENSIONS (W X D X H) IN MM CA.	385 x 430 x 95
WEIGHT IN KG CA.	4,8
MATERIAL	ABS plastic
COLOUR	Anthracite RAL 7021 ● // Light grey RAL 9002 ○
NUMBER OF COMPARTMENTS	4/5 note-, 6/8 coin-, 1 universal compartment
WEIGHABLE COIN CUPS	Optional
REMOVABLE INSERT	Yes (foldable)
ELECTR. VERSION IN VOLTS	12, 24, 36
INTERFACES	RJ11/RJ12, USB, LAN, others on request
CABLE	Compatible to the pin of the cash register
CLOSURE // TYPE OF CLOSURE	Identical 2-position lock; random locks on demand
DRAWER RUNNERS	Ball bearing mounted rails
UNDER-TABLE HOLDER	Optional



# ANKER

THE POS COMPANY

**Anker Kassensysteme GmbH**

Striegauer Straße 21  
33719 Bielefeld

**Tel:** +49 (0) 521 - 301- 0

**E-Mail:** [info@aks-anker.de](mailto:info@aks-anker.de)



[www.anker.net](http://www.anker.net)